

Datasheet

NF-10 G

Series



SDWAN Router / VPN



The NF-10 G is a revolutionary and cost-effective way of securing and interconnecting branch offices to data centers and head quarters with 100% uptime

NF-10 G frees you from the tedium of choosing from the myriad and confusing option that a UTM vendor presents before you . it frees you from the tyranny of continuing payments for signatures updates and maintenance , without really finding out whether it actually pay you back

when all you wanted was your branch offices to be protected and connectivity to be seamless, why pay for what you don't need ?

which is why we call NF-10 G to be Fresh approach to enterprise networking?

- Forgot UTMs !
- Think 100% connectivity !
- Think business productivity!
- Think application productivity!
- Reduce costs !

Supported verticals

Retail
Banks and Co-operative Banks
Logistics
Manufacturing
Surveillance
SOHO
Healthcare

Specifications

Performance Parameters	NF-10 G
SSL Clients (2 Clients)	Yes
IPSec Clients (5 Clients)	Yes
Softether VPN Client	Yes
USB Dongle support	PPP / USB Tethering
WAN Configuration (2 WAN Ports)	PPPoE / Static IP / DHCP
Wireless (2.4G & 5.8G)	Integrated wireless 802.11 b/g/n/ac
Content Filtering	Yes
Domain Filtering	Yes
Dynamic DNS	DynDNS, No-IP, CustomDNS, freeDNS
Wireless Security	WEP, WPA & WPA2
Quality of Service(QoS)	Yes
DHCP	Server, Client, DHCP Client List
Port Forwarding	Yes
VPN Passthrough	PPTP, L2TP, IPSec
IP/Mac based filter rule*	Yes
Hardware Specification	
Ethernet Ports (5 Gigabit Ports)	2 x WAN & 3 x LAN
4G LTE Dongle Support	Yes
Antenna	2
USB Port	1x USB Port
Form Factor	Desktop
Dimensions (mm) - (HxWxD)	30x124x160
Weight (Kg)	0.5
Color	Black
Power Supply (Indian type power adapter)	12V/5A
Input Voltage	100-240V/50-60Hz
Regulatory Compliance	CE, FCC, RoHS

Note:

1. Bandwidth Aggregation and auto failover between Wired and Wireless WAN links.
2. Auto SSL VPN Client Failover and load balancing
3. Upto 5 IPSec client support with IKE2 support

All specification and photos are subject to change without prior notice.

1. Maximum throughput performance is measured under ideal test conditions using industry standard performance test tools. 2. Firewall UDP throughput performance is based on RFC 2544 guidelines. 3. All Performance values are upto or rough guideline only and vary depending on system configuration. 3. MPSP rate is calculated based on 1G throughput numbers in standard test conditions it supports 98.8 MPSPS. 4. IPSec throughput of 80 Mbps and SSL throughput of 90 Mbps

Ordering Information

NF -10 - G - Y	Y = Subscription years options : 1 Year or 3 Years
----------------	--

NetFox Assured Support

Netfox products come with direct OEM support round the clock by trained professionals for product configuration and support. Netfox helps customer on security best practices to make the network hacker free and more reliable.



www.netfoxfirewall.com

info@netfoxfirewall.com
www.netfoxfirewall.com

Features

- Network Failover
- Load Balance with Policy routes
- Multi-ISP configuration
- Subnet Load Balancer
- 3G/4G Dongle support
- Built-in statefull firewall
- Multi-cast support
- Built-in SSL VPN/IPSec clients
- On-demand VPN
- Domain Filter
- Intergrated wireless access point
- Secure key based remote access
- SDWAN Plugin
- Dos | DDos | Syn Flood block
- ZTP (Zero Touch Provisioning)