

NF Q 9000 Series

Modern Day Next-Gen Firewall for Every Office



- In today's world, Cyber threats are same for all types of modern business. Hence, the firewall used in SOHO, SME & Corporate segments should also support features like enterprise class firewall to protect the network and need to be available at an affordable price.
 Q series meets the above requirement with excellent ROI coupled with world class features.
- It includes built-in AAA User Management and hotspot functionalities for both wired and wireless users, ensuring secure internet access for guests.
- With its Drop-in Placement (DIP) feature, the Q Series allows seamless failover between MPLS and SSL VPN over ADSL connections, without changing the existing network.
- Equipped with a lifetime-free analyzer, the Q Series NGFW offers a user-friendly, Al-powered experience, making it more than just a firewall.
- Compact, fanless, reliable, and energy-efficient, the Q Series NGFW can be easily placed in any office without special setup.

FEATURES

- Auto Load Balancer & Failover
- DDNS/SNMP/Remote sys log
- 4095 VLAN with L3 Support
- Application & Content Filter
- SPI Firewall & Geo Fencing
- Quality based link Failover
- ✓ VPN SSL / IPSec / Crypto
- Router (Static & Dynamic)
- ✓ 4G / 5G LTE dongle support
- ✓ High Availability, Live Sniffers
- Central Console, Softether VPN
- Easy to use UI, Compliance Logs

- 200 + Protocols support
- ✓ Internet User Management
- Bandwidth Aggregation
- ✓ TFA & MFA Support
- ✓ GAV, IDS/IPS & WAF
- ✓ Inbuilt Logs & Reports
- ✓ QoS & SDWAN
- Web & Email Security
- ✓ Multi ISP support
- Keyword, Wildcard blocking
- All in one dashboard
- Smart View on alerts











0000

Specifications

Performance Parameters	NF Q 9000 Series	
Form Factor	Desktop / Rack Mount	
Concurrent Sessions	5.2M	
New Sessions/sec	85000	
Firewall Throughput (Mbps)	5000	
Firewall IMIX (Mbps)	6500	
NGFW Throughput (Mbps)	1800	
IPSec VPN Throughput(Mbps)	600	
NGIPS Signature supported	20000	
IPsec VPN Peers (Site to Site / Client to Site)	2000	
SSL VPN (Client to Site & Site-Site)	5 / 200	
IPV6 Ready	Yes	
Details of the Firewall Policies provided with License	Web Security essential / URL Filter	Yes
	IPL License	Yes
	Application Visibility License	Yes
	Gateway Anti Virus	Yes
	Gateway Anti Spam	Yes
	Anti Malware protection , C&C Attack, Geo IP Protection, Zero day threat Protection	Yes
Security Intelligence	IP / Domain / Passive Detect end Point, IoC Intelligence	Yes
Dynamic Routing	RIP V1/V2, OSPF, BGP	
Encryption Supported	3DES, AES-CBC (128/256/512), AES-GCM (128/256/512) CAMEILLA-CBC (128/256), BlowFish-128-CBC	
Authentication Algorithm	MD5, SHA-1, SHA256, SHA384, SHA 512	
Auto MAC Binding Support	Yes	
Licensed LAN Users	Unlimited	
User Management AAA Hotspot	Yes	
Scalability	2X	
Hardware Specification		
No. of 2.5 GE Copper Interface	1 x LAN + 3 x LAN/WAN Combo	
RAM	4GB	
Type of Storage Capacity	SSD 128GB	
Power Supply (Power Adaptor)	Single (12V/5A)	
Input Voltage	100-240V / 50-60Hz	
Consumption	12W	
USB / VGA Ports	2/1 Port	
Dimensions (mm) - (HxWxD)	45x170x200	
Weight (Kg)	1.9	
Color	Black	
Total Heat Dissipation (BTU)	90	
Operating Temperature	0-45°C	
Storage Temperature	2-70°C	
Relative Humidity (NC)	10 to 90%	





The Netfox Q Series is specifically designed for the SOHO / SME segment, incorporating a flexible "pay-as-you-grow" model to meet the evolving demands of the market. Built with three layers of advanced security, this product ensures the highest level of protection and intrusion-free networking with on box reporting.

Networking

- Multiple ISP link support
- 4G / 5G LTE Dongle support
- Captive support for MPLS/RF
- LAN / DMZ / VPN Zone
- Quality based link failover
- Spillover bandwidth support
- · Priority based load balancing
- 4095 VLAN tag
- Ethernet LAG | Proxy ARP
- MAC Clone and VLAN tag on WAN
- Alternate DNS Server
- Internal DNS Domain
- Transparent, Route and Bridge mode

IPSec VPN

- Both Interface & Tunnel type
- GRE over IPSec | IKE1& IKE2
- SDWAN Scheme support
- Encryption: AES 128, 196 256-CBC
- AES 128 GCM with 64,96,128
- AES 256 GCM with 64,96,128
- AES 128 & 256 -CTR
- Chacha20-Poly1305
- AES-128-CCM with 64.128
- AES-256-CCM with 64.128
- Camellia 128 & 256-CBC
- 3DES-EDE-CBC
- DH Group: DH1-DH32



- Control & Data Plane management
- Zero Touch Provisioning
- Enterprise and Split tunnel
- Edge device with NGFW support
- Jitter, Packet loss & RTA
- Subnet Load balancer
- Link Management
- ILLB & WLLB
- Routing & Balancing Policy
- Application based, ISP based
- Preferred Interface & Firewall address support



- Time, Usage & BW control
- Concurrent Login
- Hours of Service
- Time Frames | Standard Login
- Automatic login (IP, MAC,
- Multiple IP, MAC binding)
- BYOD Support | SMS based OTP
- Email based OTP
- Social Network Login
- Auto MAC binding
- Approval based login
- Mobile device blocking
- AD/LDAP/SAML Integration





Firewall/NAT

- SPI and DPI Firewall
- Application Visibility & Control
- Geo-Fencing (Incoming & Outgoing with separate Iters)
- Filter Rules (Accept | Reject | Drop | Rapid Accept
- DNS Security, MAC-IP Interface binding
- Port Forward (SNAT & DNAT)
- One to One NAT, NetMap NAT
- Global IP Blacklist
- NAT Helpers | IP, MAC, Domain List
- System Security | Show Config




- 5 Virtual VPN Servers
- 3 dierent modes
- Data path optimizer
- Enterprise tunnel with PBR
- Cipher:
- AES-128 & AES-256 GCM
- AES-128 & AES-256 CBC
- Chacha20-Poly1305
- Camellia-128 & 256 CBC
- Auth Alogrithm:
- SHA256, SHA384, SHA512, MD5
- LDAP/AD Integration for VPN

Web Security



- Active X, Java Applet, Cookies
- Domain, IP, MAC exemption
- DNS Security & Safe Search Filter
- 100+ Million website Filters
- 80+ Categories
- Application Filter
- Mime Type & File ext blocking
- IoC Signatures & IP Blacklist
- Zero-day protection | FTP Proxy





- Compliance Logs
- Audit Logs
- Digest Reports
- Live Network Snier
- Real time netow (IP & Port)
- Connection Tracking Log
- Cong Change log
- Firewall login digest report
- 180 days log archive
- 30+ debugging commands
- Built in logs and reports















GAV & Anti Malware

- Mime Type & File ext blocking
- Http & Https
- POP& POP3
- SMTP & SMTPS
- IMAP & IMAPS
- FTP & SFTP
- File size block & Domain exclusion
- API integration for sandbox
- API integration for 3rd party signatures



- ISP link down alert
- HA failover alert
- Real Time alerts on data usage
- Alert on Firewall login
- Alert on Watchdog on process failure
- Alert on FTP log export
- Alert on Conguration Changes
- Rest API | SNMP V2/V3, Remote Syslog

IDS/IPS

- Dos, DDos, Botnet, Finger
- Generic decode event
- Invalid IP & TCP options
- Invalid T/TCP detection
- Obsolete TCP options
- Experimetal TCP options
- IMAP, P2P, Ransomware
- Malware, Phishing, POP,SMTP
- Custom Rules support



- Configuration Management
- Auto backup on daily / weekly / monthly
- Backup via FTP / email
- Daily Digest Report over email
- Ethernet Port Management
- Password Policy | NTP Setting
- EDL Support | SOAR Support











- MTCTE
- UL, RoHS, CE, FCC
- CIPA & HIPPA



- On box with password policy
- Radius & LDAP / AD
- TACACS / TACACS+



- Cross Site Scripting
- Log4J, SQL Injections
- Exploits, Generic attacks
- Trojans | Botnet, Sandboxing
- Information disclosure



- · Static Routing, Multicast Routing
- Gateway & Interface Route
- IP Passthrough
- ILLB, RIP V1 / V2, OSPF
- BGP, PIMv2

Ordering Information

NF - Q - 980 (80 Concurrent Users)

NF - Q - 9100 (100 Concurrent Users)

NF - Q - 9150 (150 Concurrent Users)

4 Port device includes AV/CF/AS/IDS/IPS/AAA/HW Warranty subscription with "H" Varient and "Y" Support.

H = Hotspot Variants Options: Default Hotspot(BHS), Offi ce Hotspot (OHS), Hospitality Hotspot (HHS), Educational Hotspot(EHS).

Y = Subscription years options: 1 Year or 3 Years or 5 Years

Netfox Assured Support

Netfox Products come with direct OEM 24/7 support by trained Professionals for product configuration and support. Netfox helps customer on security best practices to make the network hacker free and more reliable.



Netfox

India

www.netfoxfirewall.com

An ISO 9001 & 27001 Company

For any queries, please reach out to us at



info@netfoxfirewall.com







